

## NO OBJECTION FOR GENERAL WORK

QR/HSE/022 - L4		
Work		
Permit No:		

Contractor	or`s name :			
❖ ID card no	0.	:		
Company	name	:		
Project na	ame	:		
Responsible person name and contact no.:				
Work con	nmence date and	d time :		
Estimated	d work completion	on date and time:		
Location	of work:			
• Work Des	scription:			
• Acknowle I have read	dgment:- (To b	·		
		Signature:	Date:	
		_		
> Facilita	ated by :( Indic	ate the department)		
Name:		Signature:	Date:	
approp	oriate)	by: Ops. / M. Service/Admin. /E		
Name:		Signature:	Date:	
> No O	bjection by QH	SE Department		
Name:		Signature:	Date:	
	-	To be signed by relevant HOD/N carried out and certify that the w	<u> </u>	
Name:		Signature:	Date:	
The person wh	ho performed Ho	ot Work, must keep this permit with	him and produce when	
request by aut	horized officer.		-	

Note: To be filled by relevant Contractor

Every contractor must strictly adhere to the guidelines.

- 1. Every outsourced contract person should undergo the Safety Induction training conducted by HIPS HSE Department and sign the acknowledgement.
- 2. It is a requirement of conduct a hazard identification risk assessment and all elimination or mitigation action to be completed for the identified hazards before commence the works.
- 3. Always should take necessary actions to protect the employees, stakeholders, customers and properties of HIPG/HIPS.
- 4. All equipment are to be in sound condition with holding required certificates.
- 5. Do not harm the environment of the HIPG/HIPS premises.
- 6. If an emergency situation (Including an accident/near miss) occurred please inform the ERU/HSE Department and security section.
- 7. It is required to obtain port entry pass prior to enter the port for every personnel and vehicles. It is required to obtain permission from Custom for any tools / equipment or goods bring inside the Port.
- 8. Explosive items or gadgets are strictly prohibited inside the work premises.
- 9. Every worker should wear standard personnel protective equipment and should be well aware about those items and their usage.
- 10. All employees must be well aware about the Fire Assembly Points and paths to the Fire Assembly Points.
- 11. Every contractor must strictly adhere to the driving limitations inside the Port and maximum speed should be 50 kmph.
- 12. All vehicles to be parked at the designated areas and all traffic rules to be adhered.
- 13. The person who performed Hot Work (Welding, Grinding, and Cutting etc.) should have a prior preparations and all the fire extinguishers must be align before the specific work. HIPS fire section be informed prior to commence the works.
- 14. Working above 2m heights –Need to adhere working at height safety standards.
- 15. Taking photographs or video recordings inside the Port is strictly prohibited.
- 16. All the garbage and waste should be disposed according to the standards. It should be separated as digest waste and non-digest waste and need to dispose designated bins placed at the designated locations. Construction debris should be removed from the location regularly in order to keep the area as a safe work place.
- 17. You are not authorized to enter the ships or restricted areas unless permission granted by relevant authority.
- 18. Smoking, chewing betel and using alcohol inside the Port is strictly prohibited. Designated smoking area to be used for smoking.

- 19. Prior Approval should needed for using the water or electricity from the Port.
- 20. Do not remove Fire Extinguishers kept for an emergency use from the relevant places.
- 21. Work related to loud noises, large smokes or dust- always take necessary actions and safety measures to prevent the pollutions. Following are the maximum exposure level/time and each line by itself represents 100% of the allowable noise dose per 24-hour day. In other words, if you've already experienced 15 minutes at 100 dBA, you're "done for the day," and the remainder of your 24-hour period should have NO exposure above 85 dBA, and preferably should be below 70 dBA. More than 140dBA is prohibited.

Noise level dBA	Maximum Exposure time per 24hrs	Noise level dBA	Maximum Exposure time per 24hrs
85	8 hours	109	112 seconds
88	4 hours	112	56 seconds
91	2 hours	115	28 seconds
94	1 hour	118	14 seconds
97	30 minutes	121	7 seconds
100	15 minutes	124	3 seconds
103	7.5 minutes	127	1 second
106	3.7 minutes	130–140	less than 1 second

22. Please contact following numbers in an emergency as appropriate.

Name	Contact Number
Emergency Response Unit /Fire section	047 225 8855
Manager QHSE	076 407 7801
A/ Manager QHSE	076 407 7823
Duty HSE officer	076 407 7800
Shift Engineer	076 407 7771
Duty officer at Port Control	076 407 8051 / 047 227 7701
Duty Manager	076 407 7600
Navy emergency	091 378 1118 / 011 307 0312
Security	047 227 7810
Emergency Treatment Centre	047 493 8136 / 076 407 7888